



AdValue Technology

Alumina Fused Quartz Sapphire Zirconia

Your Valuable Partner in Material Science

Table of Contents

Company Introduction	5
Alumina Crucibles	6-10
<i>High Form Crucibles</i>	6
<i>Cylindrical Crucibles</i>	7
<i>Rectangular Crucibles</i>	8
<i>Round Dishes</i>	9
<i>Combustion Boats</i>	10
Alumina Tubes	11-18
<i>Alumina Single Bore Tubes (Both-Ends-Open)</i>	11-13
<i>Alumina Single Bore Tubes (One-End-Closed)</i>	14
<i>Alumina Thermocouple Tubes (Two-Bore)</i>	15-16
<i>Alumina Thermocouple Tubes (Four-bore)</i>	17-18
Alumina Rods	19-20
Alumina Plates & Disks	21
Alumina Sample Pans(Crucibles for Thermal Analysis)	22-23
Zirconia Crucibles	24-25
<i>Cylindrical Crucibles</i>	24
<i>Conical Crucibles</i>	24
<i>Combustion Boats</i>	25
Fused Quartz Tubing (Both-Ends-Open)	26-27
Fused Quartz Tubing (One-End-Closed)	28
Fused Quartz Rods	29
Fused Quartz Plates&Discs	30
<i>Fused Quartz Microscope Slides</i>	30
<i>Fused Quartz Discs</i>	30
Fused Quartz Crucibles	31-33
<i>Clear Crucibles – High Form</i>	31
<i>Clear Crucibles – Cylindrical</i>	32
<i>Clear Quartz Boats - Round Bottom</i>	33
Fused Quartz Dishes	34
<i>Fused Quartz Round Dishes</i>	34
<i>Fused Quartz Evaporating Dishes</i>	34

Table of Contents

Quartz Cuvettes	35-36
Quartz Wool	37
Quartz Coating Materials	38
Quartzware Fabrication	39
Opaque Quartz Crucibles	40-41
<i>Opaque Crucibles – Solar Grade</i>	40
<i>Opaque Crucibles – Chemical Processing</i>	41
Polycrystalline Sapphire Sample Pans (Crucibles for Thermal Analysis)	42
Polycrystalline Sapphire Tubes and Rods	43
Single Crystal Sapphire Substrates & Wafers	44-45
<i>Single Crystal Sapphire Substrates</i>	44
<i>Single Crystal Sapphire Wafers</i>	45
Ceramic Membranes	46-47
Chemical Materials	48-49
<i>Alumina (Al₂O₃) High Purity Powders</i>	48
<i>Silicon Dioxide (SiO₂) High Purity Powders</i>	49
Cerium Oxide Polishing Powder	50
Agate Mortars and Pestles	51
Accessories	52
<i>Crucible Tongs</i>	52
<i>High Temperature Gloves</i>	52
Custom Manufacturing	53

[illegible]



AdValue Technology is a leading supplier of ceramic products, striving to serve as a long-term and value-adding partner to our customers, and help them achieve and preserve excellence and efficiency with our quality products and superior services

Our fused quartz, alumina, zirconia and sapphire products are used in a wide range of high-temperature, chemical-resistant and wear-resistant applications. Besides many in-stock items such as tubes, crucibles, plates and discs, we also provide custom OEM components to meet customers' requirements. Visit our Products Catalogue! AdValue looks forward to serving your needs and being your long-term partner.

Alumina Crucibles

Alumina High Form Crucibles

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	Top Diameter		Bottom Diameter		Height		Price
		in	mm	in	mm	in	mm	
AL-1005	5	0.98	25	0.59	15	1.10	28	\$8.75
AL-1010	10	1.14	29	0.71	18	1.34	34	\$9.59
AL-1020	20	1.38	35	0.94	24	1.65	42	\$11.97
AL-1050	50	1.89	48	1.18	30	2.05	54	\$14.67
AL-1100	100	2.28	58	1.38	35	2.68	68	\$19.84
AL-1150	150	2.6	66	1.57	40	3.15	80	\$26.69
AL-1250	250	3.11	79	1.65	42	3.66	93	\$32.40
AL-1500	500	3.94	100	2.36	60	4.57	116	\$53.23
AL-1750	750	4.41	112	2.76	70	5.20	132	\$74.68
AL-11000	1000	4.92	125	3.23	82	5.83	148	\$97.28
AL-12000	2000	6.26	159	3.54	90	6.89	175	\$169.03

**Crucible covers are available upon request.*

Alumina Crucibles

Alumina Cylindrical Crucibles

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	OD		Height		Price
		in	mm	in	mm	
AL-2005	5	0.748	19	1.02	26	\$8.75
AL-2010A	10	0.98	25	0.98	25	\$9.59
AL-2010B	10	0.87	22	1.3	33	\$9.59
AL-2050	50	1.77	45	1.38	35	\$14.67
AL-2100	100	1.575	40	3.74	95	\$19.84
AL-2250	250	2.32	60	3.94	100	\$32.40
AL-2500	500	2.84	72	5.83	148	\$53.23
AL-2750	750	3.31	84	6.3	160	\$74.68
AL-21000	1000	4.72	120	4.72	120	\$97.28
AL-22000	2000	5.98	152	5.75	146	\$169.03

**Crucible covers are available upon request.*

Alumina Crucibles

Alumina Rectangular Crucibles

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	Length		Width		Height		Price
		in	mm	in	mm	in	mm	
AL-3027	27	2.13	54	1.50	38	0.79	20	\$15.62
AL-3060	60	3.23	82	1.65	42	0.91	23	\$26.40
AL-3100	100	2.56	65	2.56	65	1.18	30	\$40.44
AL-3150	150	3.54	90	2.56	65	1.18	30	\$54.33
AL-3800	800	7.95	202	4.21	107	1.97	50	\$156.35

Alumina Crucibles

Alumina Round Dishes

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	OD		Height		Description	Price
		in	mm	in	mm		
AL-4035	35					Straight sides	\$17.75
		1.97	50	0.98	25		
AL-4060	60					Straight sides	\$24.00
		2.72	69	0.91	23		
AL-4120	120					Straight sides	\$36.66
		3.19	81	1.18	30		

Alumina Crucibles

Alumina Combustion Boat (without tail and hole)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	Length		Width		Height		Price
		in	mm	in	mm	in	mm	
AL-5003	3	1.97	50	0.47	12	0.39	10	\$15.40
AL-5006	6	2.95	75	0.59	15	0.39	10	\$19.26
AL-5020	20	3.94	100	0.79	20	0.59	15	\$25.03
AL-5064	64	3.94	100	1.77	45	0.75	19	\$30.61
AL-5145	145	5.91	150	2.72	69	0.75	19	\$52.71
AL-5400	400	7.99	203	4.02	102	0.98	25	\$99.54

Alumina Single Bore Tubes (Both-Ends-Open)

Alumina Single Bore Tubes (Both-Ends-Open)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
AL-T-N1/4-N3/16-12	6.35	1/4	4.76	3/16	305	12	\$6.81
AL-T-N1/4-N3/16-18	6.35	1/4	4.76	3/16	458	18	\$10.17
AL-T-N1/4-N3/16-24	6.35	1/4	4.76	3/16	610	24	\$13.47
AL-T-N3/8-N1/4-12	9.53	3/8	6.35	1/4	305	12	\$20.00
AL-T-N3/8-N1/4-18	9.53	3/8	6.35	1/4	458	18	\$27.50
AL-T-N3/8-N1/4-24	9.53	3/8	6.35	1/4	610	24	\$41.00
AL-T-N1/2-N3/8-12	12.7	1/2	9.53	3/8	305	12	\$34.61
AL-T-N1/2-N3/8-18	12.7	1/2	9.53	3/8	458	18	\$52.48
AL-T-N1/2-N3/8-24	12.7	1/2	9.53	3/8	610	24	\$69.22
AL-T-N3/4-N1/2-12	19.05	3/4	12.7	1/2	305	12	\$37.03
AL-T-N3/4-N1/2-18	19.05	3/4	12.7	1/2	458	18	\$55.45
AL-T-N3/4-N1/2-24	19.05	3/4	12.7	1/2	610	24	\$74.27
AL-T-N1-N3/4-12	25.4	1	19.05	3/4	305	12	\$41.00
AL-T-N1-N3/4-18	25.4	1	19.05	3/4	458	18	\$61.58
AL-T-N1-N3/4-24	25.4	1	19.05	3/4	610	24	\$80.95
AL-T-N1-N3/4-36	25.4	1	19.05	3/4	914	36	\$124.92
AL-T-N1-N3/4-48	25.4	1	19.05	3/4	1219	48	\$165.00

Alumina Single Bore Tubes (Both-Ends-Open)

Alumina Single Bore Tubes (Both-Ends-Open)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
AL-T-1N1/4-N1-12	31.75	1 1/4	25.4	1	305	12	\$47.48
AL-T-1N1/4-N1-18	31.75	1 1/4	25.4	1	458	18	\$68.13
AL-T-1N1/4-N1-24	31.75	1 1/4	25.4	1	610	24	\$93.32
AL-T-1N1/4-N1-36	31.75	1 1/4	25.4	1	914	36	\$142.81
AL-T-1N1/4-N1-48	31.75	1 1/4	25.4	1	1219	48	\$191.25
AL-T-1N1/2-1N1/4-12	38.1	1 1/2	31.75	1 1/4	305	12	\$53.67
AL-T-1N1/2-1N1/4-18	38.1	1 1/2	31.75	1 1/4	458	18	\$73.13
AL-T-1N1/2-1N1/4-24	38.1	1 1/2	31.75	1 1/4	610	24	\$106.00
AL-T-1N1/2-1N1/4-36	38.1	1 1/2	31.75	1 1/4	914	36	\$157.73
AL-T-1N1/2-1N1/4-48	38.1	1 1/2	31.75	1 1/4	1219	48	\$213.49
AL-T-1N3/4-1N1/2-12	44.45	1 3/4	38.1	1 1/2	305	12	\$59.92
AL-T-1N3/4-1N1/2-18	44.45	1 3/4	38.1	1 1/2	458	18	\$90.89
AL-T-1N3/4-1N1/2-24	44.45	1 3/4	38.1	1 1/2	610	24	\$121.00
AL-T-1N3/4-1N1/2-36	44.45	1 3/4	38.1	1 1/2	914	36	\$182.50
AL-T-1N3/4-1N1/2-48	44.45	1 3/4	38.1	1 1/2	1219	48	\$234.84
AL-T-2N-1N3/4-12	50.8	2	44.45	1 3/4	305	12	\$67.97
AL-T-2N-1N3/4-18	50.8	2	44.45	1 3/4	458	18	\$100.69
AL-T-2N-1N3/4-24	50.8	2	44.45	1 3/4	610	24	\$131.34
AL-T-2N-1N3/4-36	50.8	2	44.45	1 3/4	914	36	\$205.99
AL-T-2N-1N3/4-48	50.8	2	44.45	1 3/4	1219	48	\$266.29

Alumina Single Bore Tubes (Both-Ends-Open)

Alumina Single Bore Tubes (Both-Ends-Open)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
AL-T-2N1/4-2N-12	57.15	2 1/4	50.8	2	305	12	\$80.32
AL-T-2N1/4-2N-18	57.15	2 1/4	50.8	2	458	18	\$108.63
AL-T-2N1/4-2N-24	57.15	2 1/4	50.8	2	610	24	\$150.58
AL-T-2N1/4-2N-36	57.15	2 1/4	50.8	2	914	36	\$247.17
AL-T-2N1/4-2N-48	57.15	2 1/4	50.8	2	1219	48	\$317.64
AL-T-2N1/2-2N1/4-12	63.5	2 1/2	57.15	2 1/4	305	12	\$89.30
AL-T-2N1/2-2N1/4-18	63.5	2 1/2	57.15	2 1/4	458	18	\$135.00
AL-T-2N1/2-2N1/4-24	63.5	2 1/2	57.15	2 1/4	610	24	\$175.39
AL-T-2N1/2-2N1/4-36	63.5	2 1/2	57.15	2 1/4	914	36	\$269.01
AL-T-2N1/2-2N1/4-48	63.5	2 1/2	57.15	2 1/4	1219	48	\$346.43
AL-T-2N3/4-2N1/2-12	69.85	2 3/4	63.5	2 1/2	305	12	\$93.73
AL-T-2N3/4-2N1/2-18	69.85	2 3/4	63.5	2 1/2	458	18	\$139.73
AL-T-2N3/4-2N1/2-24	69.85	2 3/4	63.5	2 1/2	610	24	\$183.75
AL-T-2N3/4-2N1/2-36	69.85	2 3/4	63.5	2 1/2	914	36	\$280.59
AL-T-2N3/4-2N1/2-48	69.85	2 3/4	63.5	2 1/2	1219	48	\$360.39
AL-T-3N-2N3/4-12	76.2	3	69.85	2 3/4	305	12	\$116.25
AL-T-3N-2N3/4-18	76.2	3	69.85	2 3/4	458	18	\$173.91
AL-T-3N-2N3/4-24	76.2	3	69.85	2 3/4	610	24	\$233.98
AL-T-3N-2N3/4-36	76.2	3	69.85	2 3/4	914	36	\$350.41
AL-T-3N-2N3/4-48	76.2	3	69.85	2 3/4	1219	48	\$459.38

Alumina Single Bore Tubes (Both-Ends-Open)

Alumina Single Bore Tubes (One-End-Closed)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
AL-T-N1/4-N3/16-12-COE	6.35	1/4	4.76	3/16	305	12	\$30.53
AL-T-N1/4-N3/16-24-COE	6.35	1/4	4.76	3/16	610	24	\$62.60
AL-T-N3/8-N1/4-12-COE	9.53	3/8	6.35	1/4	305	12	\$35.30
AL-T-N3/8-N1/4-24-COE	9.53	3/8	6.35	1/4	610	24	\$68.81
AL-T-N1/2-N3/8-12-COE	12.7	1/2	9.53	3/8	305	12	\$37.06
AL-T-N1/2-N3/8-24-COE	12.7	1/2	9.53	3/8	610	24	\$74.07
AL-T-N3/4-N1/2-12-COE	19.05	3/4	12.7	1/2	305	12	\$38.66
AL-T-N3/4-N1/2-24-COE	19.05	3/4	12.7	1/2	610	24	\$77.62
AL-T-N1-N3/4-12-COE	25.4	1	19.05	3/4	305	12	\$44.54
AL-T-N1-N3/4-24-COE	25.4	1	19.05	3/4	610	24	\$85.20
AL-T-1N1/4-N1-12-COE	31.75	1 1/4	25.4	1	305	12	\$49.40
AL-T-1N1/4-N1-24-COE	31.75	1 1/4	25.4	1	610	24	\$97.04
AL-T-1N1/2-1N1/4-24-COE	38.1	1 1/2	31.75	1 1/4	610	24	\$109.35
AL-T-1N1/2-1N1/4-36-COE	38.1	1 1/2	31.75	1 1/4	914	36	\$160.53
AL-T-2N-1N3/4-24-COE	50.8	2	44.45	1 3/4	610	24	\$134.84
AL-T-2N-1N3/4-48-COE	50.8	2	44.45	1 3/4	1219	48	\$269.79

Alumina Thermocouple Tubes (Two-Bore)

Alumina Thermocouple Tubes (Two-Bore)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
AL-T2-N047-N01-6	1.19	0.047	0.25	0.01	152.4	6	\$4.44
AL-T2-N047-N01-12	1.19	0.047	0.25	0.01	304.8	12	\$8.94
AL-T2-N047-N01-18	1.19	0.047	0.25	0.01	457.2	18	\$13.29
AL-T2-N047-N01-24	1.19	0.047	0.25	0.01	609.6	24	\$17.76
AL-T2-N047-N01-30	1.19	0.047	0.25	0.01	762	30	\$22.30
AL-T2-N062-N016-6	1.57	0.062	0.41	0.016	152.4	6	\$3.83
AL-T2-N062-N016-12	1.57	0.062	0.41	0.016	304.8	12	\$7.71
AL-T2-N062-N016-18	1.57	0.062	0.41	0.016	457.2	18	\$11.53
AL-T2-N062-N016-24	1.57	0.062	0.41	0.016	609.6	24	\$15.42
AL-T2-N062-N016-30	1.57	0.062	0.41	0.016	762	30	\$19.23
AL-T2-N062-N016-36	1.57	0.062	0.41	0.016	914.4	36	\$26.77
AL-T2-N062-N016-42	1.57	0.062	0.41	0.016	1066.8	42	\$31.04
AL-T2-N094-N025-6	2.39	0.094	0.64	0.025	152.4	6	\$2.46
AL-T2-N094-N025-12	2.39	0.094	0.64	0.025	304.8	12	\$4.91
AL-T2-N094-N025-18	2.39	0.094	0.64	0.025	457.2	18	\$7.46
AL-T2-N094-N025-24	2.39	0.094	0.64	0.025	609.6	24	\$9.42
AL-T2-N094-N025-30	2.39	0.094	0.64	0.025	762	30	\$12.34
AL-T2-N094-N025-36	2.39	0.094	0.64	0.025	914.4	36	\$20.31
AL-T2-N094-N025-42	2.39	0.094	0.64	0.025	1066.8	42	\$23.65
AL-T2-N125-N031-6	3.18	0.125	0.79	0.031	152.4	6	\$2.30
AL-T2-N125-N031-12	3.18	0.125	0.79	0.031	304.8	12	\$4.60
AL-T2-N125-N031-18	3.18	0.125	0.79	0.031	457.2	18	\$6.93
AL-T2-N125-N031-24	3.18	0.125	0.79	0.031	609.6	24	\$9.06
AL-T2-N125-N031-30	3.18	0.125	0.79	0.031	762	30	\$11.54
AL-T2-N125-N031-36	3.18	0.125	0.79	0.031	914.4	36	\$17.51
AL-T2-N125-N031-42	3.18	0.125	0.79	0.031	1066.8	42	\$20.45
AL-T2-N125-N04-6	3.18	0.125	1.02	0.04	152.4	6	\$2.30
AL-T2-N125-N04-12	3.18	0.125	1.02	0.04	304.8	12	\$4.60
AL-T2-N125-N04-18	3.18	0.125	1.02	0.04	457.2	18	\$6.93
AL-T2-N125-N04-24	3.18	0.125	1.02	0.04	609.6	24	\$9.06
AL-T2-N125-N04-30	3.18	0.125	1.02	0.04	762	30	\$11.54
AL-T2-N125-N04-36	3.18	0.125	1.02	0.04	914.4	36	\$17.51
AL-T2-N125-N04-42	3.18	0.125	1.02	0.04	1066.8	42	\$20.45

Alumina Thermocouple Tubes (Two-Bore)

Alumina Thermocouple Tubes (Two-Bore)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
AL-T2-N156-N04-6	3.96	0.156	1.02	0.04	152.4	6	\$2.30
AL-T2-N156-N04-12	3.96	0.156	1.02	0.04	304.8	12	\$4.60
AL-T2-N156-N04-18	3.96	0.156	1.02	0.04	457.2	18	\$6.93
AL-T2-N156-N04-24	3.96	0.156	1.02	0.04	609.6	24	\$9.06
AL-T2-N156-N04-30	3.96	0.156	1.02	0.04	762	30	\$11.54
AL-T2-N156-N04-36	3.96	0.156	1.02	0.04	914.4	36	\$17.51
AL-T2-N156-N04-42	3.96	0.156	1.02	0.04	1066.8	42	\$20.45
AL-T2-N187-N04-6	4.75	0.187	1.02	0.04	152.4	6	\$2.30
AL-T2-N187-N04-12	4.75	0.187	1.02	0.04	304.8	12	\$4.60
AL-T2-N187-N04-18	4.75	0.187	1.02	0.04	457.2	18	\$6.93
AL-T2-N187-N04-24	4.75	0.187	1.02	0.04	609.6	24	\$9.06
AL-T2-N187-N04-30	4.75	0.187	1.02	0.04	762	30	\$11.54
AL-T2-N187-N04-36	4.75	0.187	1.02	0.04	914.4	36	\$17.51
AL-T2-N187-N04-42	4.75	0.187	1.02	0.04	1066.8	42	\$20.45
AL-T2-N187-N063-6	4.75	0.187	1.57	0.063	152.4	6	\$2.30
AL-T2-N187-N063-12	4.75	0.187	1.57	0.063	304.8	12	\$4.60
AL-T2-N187-N063-18	4.75	0.187	1.57	0.063	457.2	18	\$6.93
AL-T2-N187-N063-24	4.75	0.187	1.57	0.063	609.6	24	\$9.06
AL-T2-N187-N063-30	4.75	0.187	1.57	0.063	762	30	\$11.54
AL-T2-N187-N063-36	4.75	0.187	1.57	0.063	914.4	36	\$17.51
AL-T2-N187-N063-42	4.75	0.187	1.57	0.063	1066.8	42	\$20.45
AL-T2-N25-N062-6	6.35	0.25	1.57	0.062	152.4	6	\$2.46
AL-T2-N25-N062-12	6.35	0.25	1.57	0.062	304.8	12	\$4.91
AL-T2-N25-N062-18	6.35	0.25	1.57	0.062	457.2	18	\$7.38
AL-T2-N25-N062-24	6.35	0.25	1.57	0.062	609.6	24	\$9.89
AL-T2-N25-N062-30	6.35	0.25	1.57	0.062	762	30	\$12.34
AL-T2-N25-N062-36	6.35	0.25	1.57	0.062	914.4	36	\$19.37
AL-T2-N25-N062-42	6.35	0.25	1.57	0.062	1066.8	42	\$22.58
AL-T2-N25-N078-6	6.35	0.25	1.98	0.078	152.4	6	\$2.46
AL-T2-N25-N078-12	6.35	0.25	1.98	0.078	304.8	12	\$4.91
AL-T2-N25-N078-18	6.35	0.25	1.98	0.078	457.2	18	\$7.38
AL-T2-N25-N078-24	6.35	0.25	1.98	0.078	609.6	24	\$9.89
AL-T2-N25-N078-30	6.35	0.25	1.98	0.078	762	30	\$12.34
AL-T2-N25-N078-36	6.35	0.25	1.98	0.078	914.4	36	\$19.37
AL-T2-N25-N078-42	6.35	0.25	1.98	0.078	1066.8	42	\$22.58

Alumina Thermocouple Tubes (Four-bore)

Alumina Thermocouple Tubes (Four-bore)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
AL-T4-N047-N01-6	1.19	0.047	0.25	0.010	152.4	6	\$6.90
AL-T4-N047-N01-12	1.19	0.047	0.25	0.010	304.8	12	\$13.76
AL-T4-N047-N01-18	1.19	0.047	0.25	0.010	457.2	18	\$20.66
AL-T4-N047-N01-24	1.19	0.047	0.25	0.010	609.6	24	\$27.59
AL-T4-N047-N01-30	1.19	0.047	0.25	0.010	762	30	\$34.58
AL-T4-N062-N016-6	1.57	0.062	0.41	0.016	152.4	6	\$6.47
AL-T4-N062-N016-12	1.57	0.062	0.41	0.016	304.8	12	\$12.81
AL-T4-N062-N016-18	1.57	0.062	0.41	0.016	457.2	18	\$19.29
AL-T4-N062-N016-24	1.57	0.062	0.41	0.016	609.6	24	\$25.70
AL-T4-N062-N016-30	1.57	0.062	0.41	0.016	762	30	\$32.22
AL-T4-N062-N016-36	1.57	0.062	0.41	0.016	914.4	36	\$47.06
AL-T4-N062-N016-42	1.57	0.062	0.41	0.016	1066.8	42	\$54.58
AL-T4-N094-N02-6	2.39	0.094	0.51	0.020	152.4	6	\$5.10
AL-T4-N094-N02-12	2.39	0.094	0.51	0.020	304.8	12	\$10.14
AL-T4-N094-N02-18	2.39	0.094	0.51	0.020	457.2	18	\$15.21
AL-T4-N094-N02-24	2.39	0.094	0.51	0.020	609.6	24	\$20.33
AL-T4-N094-N02-30	2.39	0.094	0.51	0.020	762	30	\$23.81
AL-T4-N094-N02-36	2.39	0.094	0.51	0.020	914.4	36	\$36.85
AL-T4-N094-N02-42	2.39	0.094	0.51	0.020	1066.8	42	\$43.19
AL-T4-N094-N02-48	2.39	0.094	0.51	0.020	1219.2	48	\$48.35
AL-T4-N125-N02-6	3.18	0.125	0.51	0.020	152.4	6	\$3.81
AL-T4-N125-N02-12	3.18	0.125	0.51	0.020	304.8	12	\$7.69
AL-T4-N125-N02-18	3.18	0.125	0.51	0.020	457.2	18	\$11.48
AL-T4-N125-N02-24	3.18	0.125	0.51	0.020	609.6	24	\$15.35
AL-T4-N125-N02-30	3.18	0.125	0.51	0.020	762	30	\$17.81
AL-T4-N125-N02-36	3.18	0.125	0.51	0.020	914.4	36	\$30.35
AL-T4-N125-N02-42	3.18	0.125	0.51	0.020	1066.8	42	\$35.59
AL-T4-N125-N02-48	3.18	0.125	0.51	0.020	1219.2	48	\$39.69
AL-T4-N156-N031-6	3.96	0.156	0.79	0.031	152.4	6	\$3.81
AL-T4-N156-N031-12	3.96	0.156	0.79	0.031	304.8	12	\$7.69
AL-T4-N156-N031-18	3.96	0.156	0.79	0.031	457.2	18	\$11.48
AL-T4-N156-N031-24	3.96	0.156	0.79	0.031	609.6	24	\$15.35
AL-T4-N156-N031-30	3.96	0.156	0.79	0.031	762	30	\$17.81
AL-T4-N156-N031-36	3.96	0.156	0.79	0.031	914.4	36	\$30.35
AL-T4-N156-N031-42	3.96	0.156	0.79	0.031	1066.8	42	\$35.59
AL-T4-N156-N031-48	3.96	0.156	0.79	0.031	1219.2	48	\$39.69

Alumina Thermocouple Tubes (Four-bore)

Alumina Thermocouple Tubes (Four-bore)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
AL-T4-N187-N031-6	4.75	0.187	0.79	0.031	152.4	6	\$2.29
AL-T4-N187-N031-12	4.75	0.187	0.79	0.031	304.8	12	\$4.60
AL-T4-N187-N031-18	4.75	0.187	0.79	0.031	457.2	18	\$6.90
AL-T4-N187-N031-24	4.75	0.187	0.79	0.031	609.6	24	\$9.20
AL-T4-N187-N031-30	4.75	0.187	0.79	0.031	762	30	\$11.57
AL-T4-N187-N031-36	4.75	0.187	0.79	0.031	914.4	36	\$17.47
AL-T4-N187-N031-42	4.75	0.187	0.79	0.031	1066.8	42	\$20.40
AL-T4-N187-N031-48	4.75	0.187	0.79	0.031	1219.2	48	\$25.20
AL-T4-N187-N047-6	4.75	0.187	1.19	0.046	152.4	6	\$2.29
AL-T4-N187-N047-12	4.75	0.187	1.19	0.046	304.8	12	\$4.61
AL-T4-N187-N047-18	4.75	0.187	1.19	0.046	457.2	18	\$6.91
AL-T4-N187-N047-24	4.75	0.187	1.19	0.046	609.6	24	\$9.20
AL-T4-N187-N047-30	4.75	0.187	1.19	0.046	762	30	\$11.50
AL-T4-N187-N047-36	4.75	0.187	1.19	0.046	914.4	36	\$17.51
AL-T4-N187-N047-42	4.75	0.187	1.19	0.046	1066.8	42	\$20.40
AL-T4-N187-N047-48	4.75	0.187	1.19	0.046	1219.2	48	\$25.20
AL-T4-N218-N05-6	5.54	0.218	1.27	0.050	152.4	6	\$2.29
AL-T4-N218-N05-12	5.54	0.218	1.27	0.050	304.8	12	\$4.61
AL-T4-N218-N05-18	5.54	0.218	1.27	0.050	457.2	18	\$6.91
AL-T4-N218-N05-24	5.54	0.218	1.27	0.050	609.6	24	\$9.20
AL-T4-N218-N05-30	5.54	0.218	1.27	0.050	762	30	\$11.50
AL-T4-N218-N05-36	5.54	0.218	1.27	0.050	914.4	36	\$17.51
AL-T4-N218-N05-42	5.54	0.218	1.27	0.050	1066.8	42	\$20.40
AL-T4-N218-N05-48	5.54	0.218	1.27	0.050	1219.2	48	\$25.20
AL-T4-N25-N062-6	6.35	0.25	1.57	0.062	152.4	6	\$2.31
AL-T4-N25-N062-12	6.35	0.25	1.57	0.062	304.8	12	\$4.62
AL-T4-N25-N062-18	6.35	0.25	1.57	0.062	457.2	18	\$6.91
AL-T4-N25-N062-24	6.35	0.25	1.57	0.062	609.6	24	\$9.20
AL-T4-N25-N062-30	6.35	0.25	1.57	0.062	762	30	\$11.55
AL-T4-N25-N062-36	6.35	0.25	1.57	0.062	914.4	36	\$17.48
AL-T4-N25-N062-42	6.35	0.25	1.57	0.062	1066.8	42	\$20.52
AL-T4-N25-N062-48	6.35	0.25	1.57	0.062	1219.2	48	\$25.51
AL-T4-N312-N062-6	7.92	0.312	1.57	0.062	152.4	6	\$2.76
AL-T4-N312-N062-12	7.92	0.312	1.57	0.062	304.8	12	\$5.55
AL-T4-N312-N062-18	7.92	0.312	1.57	0.062	457.2	18	\$8.27
AL-T4-N312-N062-24	7.92	0.312	1.57	0.062	609.6	24	\$11.05
AL-T4-N312-N062-30	7.92	0.312	1.57	0.062	762	30	\$14.72
AL-T4-N312-N062-36	7.92	0.312	1.57	0.062	914.4	36	\$20.98
AL-T4-N312-N062-42	7.92	0.312	1.57	0.062	1066.8	42	\$24.45
AL-T4-N312-N062-48	7.92	0.312	1.57	0.062	1219.2	48	\$28.51

Alumina Rods

Alumina Rods

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		Length		Price
	mm	inch	mm	inch	
AL-RD-N1/32-6	0.79	1/32	152.4	6	\$3.69
AL-RD-N1/32-12	0.79	1/32	304.8	12	\$7.65
AL-RD-N1/32-18	0.79	1/32	457.2	18	\$11.57
AL-RD-N1/16-6	1.58	1/16	152.4	6	\$2.98
AL-RD-N1/16-12	1.58	1/16	304.8	12	\$6.22
AL-RD-N1/16-18	1.58	1/16	457.2	18	\$8.93
AL-RD-No79-6	2.01	0.079	152.4	6	\$3.02
AL-RD-No79-12	2.01	0.079	304.8	12	\$6.03
AL-RD-No79-18	2.01	0.079	457.2	18	\$8.26
AL-RD-No98-6	2.49	0.098	152.4	6	\$3.63
AL-RD-No98-12	2.49	0.098	304.8	12	\$7.09
AL-RD-No98-18	2.49	0.098	457.2	18	\$10.28
AL-RD-N1/8-6	3.18	1/8	152.4	6	\$3.71
AL-RD-N1/8-12	3.18	1/8	304.8	12	\$7.03
AL-RD-N1/8-18	3.18	1/8	457.2	18	\$11.53
AL-RD-N1/8-24	3.18	1/8	609.6	24	\$17.81
AL-RD-N1/8-30	3.18	1/8	762	30	\$22.25
AL-RD-N1/8-36	3.18	1/8	914.4	36	\$28.16
AL-RD-N3/16-6	4.75	3/16	152.4	6	\$4.13
AL-RD-N3/16-12	4.75	3/16	304.8	12	\$8.46
AL-RD-N3/16-18	4.75	3/16	457.2	18	\$12.80
AL-RD-N3/16-24	4.75	3/16	609.6	24	\$20.36
AL-RD-N3/16-30	4.75	3/16	762	30	\$25.26
AL-RD-N3/16-36	4.75	3/16	914.4	36	\$30.92
AL-RD-N197-12	5.00	0.197	304.8	12	\$8.46
AL-RD-N1/4-6	6.35	1/4	152.4	6	\$4.43
AL-RD-N1/4-12	6.35	1/4	304.8	12	\$9.18
AL-RD-N1/4-18	6.35	1/4	457.2	18	\$13.82
AL-RD-N1/4-24	6.35	1/4	609.6	24	\$22.05
AL-RD-N1/4-30	6.35	1/4	762	30	\$27.57
AL-RD-N1/4-36	6.35	1/4	914.4	36	\$34.39
AL-RD-N1/3-12	8.47	1/3	304.8	12	\$11.55

Alumina Rods

Alumina Rods

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		Length		Price
	mm	inch	mm	inch	
AL-RD-N5/16-6	7.92	5/16	152.4	6	\$5.41
AL-RD-N5/16-12	7.92	5/16	304.8	12	\$11.29
AL-RD-N5/16-18	7.92	5/16	457.2	18	\$16.77
AL-RD-N5/16-24	7.92	5/16	609.6	24	\$24.57
AL-RD-N5/16-30	7.92	5/16	762	30	\$30.52
AL-RD-N5/16-36	7.92	5/16	914.4	36	\$41.60
AL-RD-N3/8-6	9.53	3/8	152.4	6	\$6.37
AL-RD-N3/8-12	9.53	3/8	304.8	12	\$13.47
AL-RD-N3/8-18	9.53	3/8	457.2	18	\$19.44
AL-RD-N3/8-24	9.53	3/8	609.6	24	\$28.76
AL-RD-N3/8-30	9.53	3/8	762	30	\$36.01
AL-RD-N3/8-36	9.53	3/8	914.4	36	\$44.79
AL-RD-N7/16-6	11.1	7/16	152.4	6	\$7.26
AL-RD-N7/16-12	11.1	7/16	304.8	12	\$15.72
AL-RD-N7/16-18	11.1	7/16	457.2	18	\$23.39
AL-RD-N7/16-24	11.1	7/16	609.6	24	\$34.33
AL-RD-N7/16-30	11.1	7/16	762	30	\$45.48
AL-RD-N1/2-6	12.7	1/2	152.4	6	\$8.60
AL-RD-N1/2-12	12.7	1/2	304.8	12	\$18.51
AL-RD-N1/2-18	12.7	1/2	457.2	18	\$26.81
AL-RD-N1/2-24	12.7	1/2	609.6	24	\$47.45
AL-RD-N1/2-30	12.7	1/2	762	30	\$57.46
AL-RD-N1/2-36	12.7	1/2	914.4	36	\$71.06
AL-RD-N3/4-12	19.05	3/4	304.8	12	\$114.91
AL-RD-1N-12	25.4	1	304.8	12	\$122.81
AL-RD-1N1/2-12	38.1	1 1/2	304.8	12	\$242.97

Alumina Plates & Disks

Alumina Plate

Custom production available. Please call (520)514-1100 for details.

Catalogue Number	Length		Width		Thickness		Price
	mm	in	mm	in	mm	in	
AL-P-220-220-5	220	8.66	220	8.66	5	0.2	\$146.70
AL-P-216-102-5	216	8.5	102	4.01	5	0.2	\$78.49
AL-P-208-110-5	208	8.19	110	4.33	5	0.2	\$69.35
AL-P-152-152-5	152	6	152	6	5	0.2	\$62.16
AL-P-150-80-5	150	5.91	80	3.15	5	0.2	\$52.48
AL-P-107-53-4	107	4.21	53	2.09	4	0.16	\$30.39
AL-P-102-76-6	102	4	76	3	6	0.24	\$31.88
AL-P-102-25-6	102	4	25	0.98	6	0.24	\$24.00
AL-P-90-65-6	90	3.54	65	2.56	6	0.24	\$24.15
AL-P-90-45-4	90	3.54	45	1.77	4	0.16	\$20.06
AL-P-60-40-4	60	2.36	40	1.57	4	0.16	\$10.69
AL-P-60-10-5	60	2.36	10	0.39	5	0.2	\$5.13

Alumina Disk

Custom production available. Please call (520)514-1100 for details.

Catalogue Number	OD		Thickness		Price
	mm	in	mm	in	
AL-D-42-2	42	1.65	2	0.08	\$6.78
AL-D-82-6	82	3.23	6	0.24	\$20.19



Alumina Sample Pans (Crucibles for Thermal Analysis)

Alumina Sample Pans -Cylindrical

For custom production and volume discount, please call (520) 514-1100



Catalogue Number	Dimensions(mm)	Equipment	Picture	Price
AL-6214	OD4.5mm*H7mm	PE		\$6.70
AL-6201	OD5mm*H4mm	SETARAM		\$5.56
AL-6209	OD5mm*H5mm			\$6.70
AL-6202	OD5mm*H8mm	SETARAM DSC		\$6.70
AL-6217	OD5.2mm*H2.6mm	NETZSCH		\$6.70
AL-6211	OD6mm*H2.5mm	ME-51140843/Shimadzu		\$7.84
AL-6208	OD6mm*H4.5mm	ME-01024123		\$10.29
AL-6207	OD6.5mm*H4mm	TA Q600		\$9.46
AL-6203	OD6.8mm*H4mm,	NETZSCH DSC404C DTA404PC STA409PC STA449C		\$6.70
AL-6210	OD7mm*H2mm	NETZSCH		\$9.46
AL-6206	OD8mm*H4.5mm	ME-01024124		\$12.86
AL-6219	OD8mm*H8mm	NETZSCH		\$10.29
AL-6220	OD8mm*H10mm	NETZSCH		\$10.29
AL-6204	OD8mm*H12mm	SETARAM LABSYS		\$10.29
AL-6221	OD9mm*H7mm	NETZSCH		\$11.58
AL-6215	OD12mm*H10mm	ME		\$14.44
AL-6212	OD12mm*H25mm			\$15.88
AL-6222	OD12.7mm*H25.4mm	TA TGA-HP150 and TGA-HPs		\$15.88
AL-6223	OD18mm*H8mm	Netsch		\$14.44

Alumina Sample Pans (Crucibles for Thermal Analysis)

Alumina Sample Pans - Special Shaped

For custom production and volume discount, please call (520) 514-1100

Catalogue Number	Dimensions(mm)	Equipment	Picture	Price
AL-62H02	OD5mm*H9.5mm, with 2 holes on wall			\$11.11
AL-62H03	OD8mm*H4.5mm, with 2 holes on wall			\$11.11
AL-62H04	OD8mm*H10mm, with 2 holes on wall			\$14.44
AL-62H01	OD12mm*H10mm, with 2 holes on wall			\$14.44
AL-6101	OD4.5mm*H7mm, round bottom	PE		\$4.42
AL-6301	OD5mm(4mm)*H10mm	SETARAM CTC1800 EVOLUTION		\$7.84
AL-6402	TOD6.4mm*BOD3.6mm*H8.7mm			\$7.80
AL-6405	OD7(3)mm*H17.4mm	Linseis		\$13.23
AL-6401	OD8(4)mm*H23mm	NETZSCH DTA		\$15.88
AL-6406	OD8(4)mm*H16mm			\$15.88
AL-6404	OD17mm*H30mm	Netzsch 449TGA		\$26.47
AL-6404-S	Alumina support, Dia17mm*H18.2mm	Netsch 449TGA		\$16.84

Alumina Sample Pan Covers

For custom production and volume discount, please call (520) 514-1100

Catalogue Number	Dimensions(mm)	Price
AL-6505	Crucible Cover, OD4.5mm, with central hole	\$2.14
AL-6501	Crucible Cover, OD5mm, with central hole	\$2.14
AL-6504	Crucible Cover, OD6mm, with central hole	\$2.14
AL-6503	Crucible Cover, OD6.5mm, with central hole	\$2.14
AL-6502	Crucible Cover, OD6.8mm, with central hole	\$2.14
AL-6506	Crucible Cover, OD8mm, with central hole	\$2.14

Zirconia Crucibles

Cylindrical Crucibles

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	OD		Height		Price
		in	mm	in	mm	
Zc-2010	10	0.87	22	1.30	33	\$38.06
Zc-2035	35	1.57	40	1.57	40	\$65.67
Zc-2090	90	1.57	40	3.58	91	\$97.40
Zc-2350	350	3.35	85	2.95	75	\$195.25
Zc-2600	600	4.33	110	2.95	75	\$252.00

Conical Crucibles

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	Top Dia		Bottom Dia		Height		Price
		in	mm	in	mm	in	mm	
Zc-6005	5	1.02	26	0.63	16	1.22	31	\$32.67
Zc-6010	10	1.06	27	0.75	19	1.38	35	\$40.55
Zc-6100	100	2.24	57	1.54	39	2.36	60	\$108.74

Zirconia Crucibles

Combustion Boat (without tail and hole)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	Length		Width		Height		Price
Zc-5001	1	in	mm	in	mm	in	mm	\$28.84
		1.18	30	0.39	10	0.31	8	
Zc-5003	3	in	mm	in	mm	in	mm	\$42.65
		1.97	50	0.47	12	0.39	10	
Zc-5006	6	in	mm	in	mm	in	mm	\$61.58
		2.95	75	0.59	15	0.39	10	
Zc-5020	20	in	mm	in	mm	in	mm	\$76.17
		3.94	100	0.79	20	0.59	15	
Zc-5140	140	in	mm	in	mm	in	mm	\$185.94
		5.91	150	2.56	65	0.75	19	

Fused Quartz Tubing (Both-Ends-Open)

Clear Quartz Tubes

For custom production and volume discount, please call (520)514-1100



Catalogue Number	ID		OD		Wall Thickness		Length		Price
	mm	inch	mm	inch	mm	inch	mm	inch	
FQ-T-3-1.6-4.4	1.6	0.06	3	0.12	0.7	0.03	1340	52.75	\$2.25
FQ-T-4-2-4	2	0.08	4	0.16	1	0.04	1219	48	\$3.38
FQ-T-5-3-4	3	0.12	5	0.2	1	0.04	1219	48	\$4.47
FQ-T-6-4-4	4	0.16	6	0.24	1	0.04	1219	48	\$4.11
FQ-T-7-5-4	5	0.2	7	0.28	1	0.04	1219	48	\$5.20
FQ-T-8-6-4	6	0.24	8	0.31	1	0.04	1219	48	\$5.60
FQ-T-10-6-4	6	0.24	10	0.39	2	0.08	1219	48	\$13.56
FQ-T-9-7-4	7	0.28	9	0.35	1	0.04	1219	48	\$7.09
FQ-T-10-8-4	8	0.31	10	0.39	1	0.04	1219	48	\$7.46
FQ-T-12-8-4	8	0.31	12	0.47	2	0.08	1219	48	\$9.32
FQ-T-11-9-4	9	0.35	11	0.43	1	0.04	1219	48	\$8.20
FQ-T-12-10-4	10	0.39	12	0.47	1	0.04	1219	48	\$9.68
FQ-T-14-10-4	10	0.39	14	0.55	2	0.08	1219	48	\$20.54
FQ-T-12.7-10.5-4	10.5	0.41	12.7	0.5	1.125	0.04	1219	48	\$10.81
FQ-T-14-12-4	12	0.47	14	0.55	1	0.04	1219	48	\$9.06
FQ-T-15-12-4	12	0.47	15	0.59	1.5	0.06	1219	48	\$18.19
FQ-T-16-12-4	12	0.47	16	0.63	2	0.08	1219	48	\$27.24
FQ-T-15-13-4	13	0.51	15	0.59	1	0.04	1219	48	\$10.05
FQ-T-16-14-4	14	0.55	16	0.63	1	0.04	1219	48	\$13.02
FQ-T-18-14-4	14	0.55	18	0.71	2	0.08	1219	48	\$30.02
FQ-T-19-15-4	15	0.59	19	0.75	2	0.08	1219	48	\$31.01
FQ-T-18-16-4	16	0.63	18	0.71	1	0.04	1219	48	\$13.42

Fused Quartz Tubing (Both-Ends-Open)

Clear Quartz Tubes

For custom production and volume discount, please call (520)514-1100



Catalogue Number	ID		OD		Wall Thickness		Length		Price
	mm	inch	mm	inch	mm	inch	mm	inch	
FQ-T-20-16-4	16	0.63	20	0.79	2	0.08	1219	48	\$32.76
FQ-T-22-20-4	20	0.79	22	0.87	1	0.04	1219	48	\$19.06
FQ-T-24-20-4	20	0.79	24	0.94	2	0.08	1219	48	\$40.40
FQ-T-25-20-4	20	0.79	25	0.98	2.5	0.1	1219	48	\$52.68
FQ-T-25-22-4	22	0.87	25	0.98	1.5	0.06	1219	48	\$27.19
FQ-T-26-24-4	24	0.94	26	1.02	1	0.04	1219	48	\$19.64
FQ-T-28-25-4	25	0.98	28	1.1	1.5	0.06	1219	48	\$30.17
FQ-T-29-25-4	25	0.98	29	1.14	2	0.08	1219	48	\$41.53
FQ-T-30-27-4	27	1.06	30	1.18	1.5	0.06	1219	48	\$33.49
FQ-T-35-32-4	32	1.26	35	1.38	1.5	0.06	1219	48	\$48.46
FQ-T-40-36-4	36	1.42	40	1.57	2	0.08	1219	48	\$59.19
FQ-T-46-42-4	42	1.65	46	1.81	2	0.08	1219	48	\$74.41
FQ-T-50-46-4	46	1.81	50	1.97	2	0.08	1219	48	\$75.57
FQ-T-76-71-5	71	2.79	76	2.99	2.5	0.10	1524	60	\$255.27

Fused Quartz Tubing (One-End-Closed)

Test Tube

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Capacity (ml)	OD		ID		Length		Price
		mm	inch	mm	inch	mm	inch	
FQ-TT-1010	10	15	0.59	12	0.47	100	3.94	\$12.84
FQ-TT-1025	25	23	0.91	20	0.79	100	3.94	\$18.55
FQ-TT-1095	95	30	1.18	25	0.98	200	7.87	\$23.55

Micro-Combustion Tube (One End Closed)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		Length		Price
	mm	inch	mm	inch	mm	inch	
FQ-T-18-15-300-COE	18	0.71	15	0.59	300	11.81	\$18.51
FQ-T-25-22-300-COE	25	0.98	22	0.87	300	11.81	\$28.54
FQ-T-25-22-600-COE	25	0.98	22	0.87	600	23.6	\$37.10

Fused Quartz Rods

Fused Quartz Rods

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		Length		Price
	mm	inch	mm	inch	
FQ-RD-5-4	5	0.2	1219	48	\$5.97
FQ-RD-6-4	6	0.24	1219	48	\$8.90
FQ-RD-8-4	8	0.31	1219	48	\$14.29
FQ-RD-10-4	10	0.39	1219	48	\$21.28

Fused Quartz Plates and Discs

Quartz Microscope Slides

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Length		Width		Thickness		Price
	mm	inch	mm	inch	mm	inch	
FQ-S-001	25.4	1	25.4	1	1	0.04	\$4.23
FQ-S-002	50.8	2	25.4	1	1	0.04	\$5.97
FQ-S-003	76.2	3	25.4	1	1	0.04	\$8.59

Fused Quartz Discs

For custom production & volume discount, please call (520) 514-1100



Catalogue Number	Dia		Thickness		Our Price
	mm	inch	mm	inch	
FQ-D-1N-N1/16	25.4	1	1.59	0.063	\$3.45
FQ-D-1N-N1/8	25.4	1	3.18	0.125	\$4.56
FQ-D-2N-N1/8	50.8	2	3.18	0.125	\$8.72
FQ-D-2N-N3/16	50.8	2	4.76	0.188	\$11.17

**All standard slides and discs are made of Optical Grade Fused Quartz (220~2500nm).*

**Other grades including UV Grade Fused Silica (185~2500nm) and Full Spectrum Fused Silica(260~3500nm) are available upon request.*

**Custom sizes are available upon request.*

Fused Quartz Crucibles

Clear Quartz Crucibles – High Form

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	top Dia		Bottom Dia		Height		Price
		in	mm	in	mm	in	mm	
FQ-1010	10	1.06	27	0.75	19	1.38	35	\$17.65
FQ-1020	20	1.3	33	0.91	23	1.73	44	\$18.88
FQ-1050	50	1.81	46	1.3	33	2.09	53	\$20.20
FQ-1100	100	2.24	57	1.54	39	2.68	68	\$21.39
FQ-1250	250	2.95	75	1.93	49	3.74	95	\$43.04

**Crucible covers are available upon request.*

Fused Quartz Crucibles

Clear Quartz Crucibles -- Cylindrical

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Approx. Capacity (ml)	OD		Height		Price
		in	mm	in	mm	
FQ-2005	5	0.75	19	1.02	26	\$16.57
FQ-2010	10	0.87	22	1.30	33	\$17.65
FQ-2020	20	1.10	28	1.57	40	\$18.88
FQ-2100	100	1.57	40	3.58	91	\$21.39
FQ-2500	500	2.99	76	4.72	120	\$54.81
FQ-2800	800	3.94	100	4.72	120	\$64.66

**Crucible covers are available upon request.*

Fused Quartz Boats

Clear Quartz Boat (Round Bottom)

For custom production and volume discount, please call (520)514-1100



Catalogue Number	Width		Height		Length		Price
	mm	in	mm	in	mm	in	
FQ-BT-01	10	0.39	8	0.31	25	0.98	\$18.94
FQ-BT-02	20	0.79	10	0.39	100	3.94	\$23.69
FQ-BT-03	42	1.65	20	0.79	100	3.94	\$35.48
FQ-BT-04	58	2.28	25	0.98	300	11.81	\$94.00

Fused Quartz Dishes

Clear fused Quartz Dishes

For custom production and volume discount, please call (520)514-1100



Catalogue#	Dia		Height		Our Price
	mm	inch	mm	inch	
FQ-4020	55	2.17	15	0.59	\$20.84
FQ-4040	70	2.76	15	0.59	\$30.36
FQ-4085	100	3.94	15	0.59	\$49.89
FQ-4185	150	5.91	15	0.59	\$109.33

Clear fused Quartz Evaporating Dishes

For custom production and volume discount, please call (520)514-1100




Catalogue#	Capacity(ml)	Dia		Height		Our Price
		mm	inch	mm	inch	
FQ-5050	50	65	2.56	33	1.30	\$28.61
FQ-5150	150	90	3.54	45	1.77	\$48.85
FQ-5300	300	120	4.72	60	2.36	\$68.69
FQ-5450	450	150	5.90	75	2.95	\$88.62

UV Fused Quartz Cuvettes

Quartz Cuvettes for Spectorphotometer and colorimeters (2 clear windows)

For custom production and volume discount, please call (520)514-1100



Standard Cell with Lid and Round Bottom – Type 1

Catalogue#	Outside Dim. H X W X D (mm)	Polished Window	Path Length (mm)	Inside Width (mm)	Volume (ml)	Wave length	Price
FQ-CV-1-1	45 X 12.5 X 3.5	2	1	10	0.35	190nm~2500nm	\$89.80
FQ-CV-1-2	45 X 12.5 X 4.5	2	2	10	0.7	190nm~2500nm	\$85.15
FQ-CV-1-5	45 X 12.5 X 7.5	2	5	10	1.7	190nm~2500nm	\$74.97
FQ-CV-1-10	45 X 12.5 X 12.5	2	10	10	3.5	190nm~2500nm	\$64.98
FQ-CV-1-20	45 X 12.5 X 22.5	2	20	10	7.0	190nm~2500nm	\$97.74
FQ-CV-1-30	45 X 12.5 X 32.5	2	30	10	10.5	190nm~2500nm	\$113.67
FQ-CV-1-40	45 X 12.5 X 42.5	2	40	10	14.0	190nm~2500nm	\$126.03
FQ-CV-1-50	45 X 12.5 X 52.5	2	50	10	17.5	190nm~2500nm	\$143.93

Standard Cell with Telfron Stopper and Round Bottom – Type 21

Catalogue#	Outside Dim. H X W X D (mm)	Polished Window	Path Length (mm)	Inside Width (mm)	Volume (ml)	Wave length	Price
FQ-CV-21-10	45 X 12.5 X 12.5	2	10	10	3.5	190nm~2500nm	\$93.93

Rectangular with Screw Cap – Type 1SC

Catalogue#	Outside Dim. H X W X D (mm)	Polished Window	Path Length (mm)	Inside Width (mm)	Volume (ml)	Wave length	Price
FQ-CV-1SC-10	56 X 12.5 X 12.5	2	10	10	3.5	190nm~2500nm	\$157.27

Semi-Micro Cell with Frosted Walls and Lid – Type 9

Catalogue#	Outside Dim. H X W X D (mm)	Polished Window	Path Length (mm)	Inside Width (mm)	Volume (ml)	Wave length	Price
FQ-CV-9-10	45 X 12.5 X 12.5	2	10	4	1.4	190nm~2500nm	\$102.95


Micro Cell with Frosted Walls and Lid – Type 18

Catalogue#	Outside Dim. H X W X D (mm)	Polished Window	Path Length (mm)	Inside Width (mm)	Volume (ml)	Wave length	Price
FQ-CV-18-10	45 X 12.5 X 12.5	2	10	2	0.7	190nm~2500nm	\$105.77

UV Fused Quartz Cuvettes

Quartz Cuvettes for Fluorometers (4 clear windows)

For custom production and volume discount, please call (520)514-1100



Standard Fluorometer Cell with Lid – Type 3

Catalogue#	Outside Dim. H X W X D (mm)	Polished Window	Path Length (mm)	Inside Width (mm)	Volume (ml)	Wave length	Price
FQ-CV-3-10	45 X 12.5 X 12.5	4	10	10	3.5	190nm~2500nm	\$119.53

Standard Fluorometer Cell with Teflon Stopper – Type 23

Catalogue#	Outside Dim. H X W X D (mm)	Polished Window	Path Length (mm)	Inside Width (mm)	Volume (ml)	Wave length	Price
FQ-CV-23-10	45 X 12.5 X 12.5	4	10	10	3.5	190nm~2500nm	\$138.10

Standard Fluorometer Cell with Screw Top - Type 3SC

Catalogue#	Outside Dim. H X W X D (mm)	Polished Window	Path Length (mm)	Inside Width (mm)	Volume (ml)	Wave length	Price
FQ-CV-3SC-10	56 × 12.5 × 12.5	4	10	10	3.5	190nm~2500nm	\$195.60

Quartz Wool

Our fused quartz wool is made of high purity quartz $\geq 99.90\%$. Quartz wool features the same chemical and physical properties as of other fused quartz products, and has good resistance to high temperatures and chemical corrosions. We offer fused quartz wool with four different diameter sizes. From ultra fine to coarse, our quartz wool can well meet various application requirements. Our in-stock fused quartz wool is packaged in sealed bag of 0.5lbs for convenient use.



For custom production and volume discount, please call (520)514-1100

Catalogue#	Description	Package Size	Price (per bag)
FQ-WL-001	Fused Quartz Wool, Dia. 1-3 μm	0.5 lbs (0.23kg)	\$409.09
FQ-WL-002	Fused Quartz Wool, Dia. 3-5 μm	0.5 lbs (0.23kg)	\$298.30
FQ-WL-003	Fused Quartz Wool, Dia. 5-8 μm	0.5 lbs (0.23kg)	\$217.64
FQ-WL-004	Fused Quartz Wool, Dia. 9-14 μm	0.5 lbs (0.23kg)	\$140.32

Quartz Coating Materials


Silicon Dioxide Granules (SiO_2 evaporation material for coating)

For custom production and volume discount, please call (520)514-1100




<i>Catalogue Number</i>	<i>Purity</i>	<i>Size</i>	<i>Package Size (kg)</i>	<i>Price (/pkg)</i>
FQ-GN-02	≥99.99%	Dia 1~3mm	1	\$88.00

Quartz coating materials in other forms (rings, pellets, discs, crucibles, etc.) are also available upon request.



Quartzware Fabrication



Custom Production upon Drawings. Please call 520 514-1100 for details.

Opaque Quartz Crucibles

Opaque Quartz Crucibles – Solar Grade

High purity quartz crucible for silicon single crystal pullout

Please call (520) 514-1100



<i>Catalogue Number</i>	<i>OD(inch)</i>	<i>H(inch)</i>
FQ-3012	12	9
FQ-3014	14	11
FQ-3016	16	12
FQ-3018	18	12.6
FQ-3020	20	14
FQ-3022	22	15

Opaque Quartz Crucibles

Opaque Quartz Crucibles – Chemical Processing

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD(inch)	H(inch)
FQ-3110	10	7.5
FQ-3112	12	9
FQ-3114	14	11
FQ-3116	16	11
FQ-3118	18	12.6
FQ-3120	20	14

High purity fused quartz crucibles used for a variety of chemical and material processing.

Sapphire Sample Pans *(Crucibles for Thermal Analysis)*

Polycrystalline Sapphire Sample Pans for Thermal Analysis

For custom production and volume discount, please call (520)514-1100



<i>Catalogue Number</i>	<i>Capacity (μl)</i>	<i>Dimensions (mm)</i>	<i>Equipment</i>	<i>Price</i>
SP-62030	30	OD6mm*H2.6mm	ME-51140843	\$12.79
SP-62040	40	OD5mm*H4mm	Setaram	\$13.36
SP-62070	70	OD6mm*H4.5mm	ME-00024123	\$14.07
SP-62080	80	OD5mm*H8mm	Setaram DSC	\$14.36
SP-62085	85	OD6.8mm*H4mm	Netzsch-399972	\$14.64
SP-62090	90	OD6.5mm*H4.3mm	TA-960070.901	\$15.07
SP-62150	150	OD8mm*H4.5mm	ME-00024124	\$18.36
SP-62400	400	OD8mm*H12mm		\$21.36
SP-62850	850	OD12mm*H10mm	ME-51119960	\$23.64

Polycrystalline Sapphire Crucible Covers

<i>Catalogue Number</i>	<i>Dimensions (mm)</i>	<i>Price</i>
SP-65-5	Crucible Cover, Dia5mm	\$8.90
SP-65-6	Crucible Cover, Dia6mm	\$8.90
SP-65-6.5	Crucible Cover, Dia6.5mm	\$8.90
SP-65-6.8	Crucible Cover, Dia6.8mm	\$8.90
SP-65-8	Crucible Cover, Dia8mm	\$9.72
SP-65-12	Crucible Cover, Dia12mm	\$10.26

Polycrystalline Sapphire Protection Tube

We offer high quality, yet price competitive, polycrystalline sapphire tubes that can work on aggressive environments and/or at high temperatures where standard ceramic or metal tubes fail to meet the material stability requirements.

CHARACTERISTICS

- High Temperature resistance (up to 1800 °C)
- High purity (>99,98+% Al₂O₃)
- Chemically inert and corrosion resistant
- High pressure resistance
- Outstanding electrical insulating properties
- Low creep
- High thermal conductivity
- Translucent
- Pore free



APPLICATIONS

Polycrystalline sapphire caps are applicable in aggressive environments and/or at high temperatures. Application areas are chemistry, oil refinery, glass industry and different laboratories, where standard ceramics or metal tubes do not meet the material stability requirements.



Our polycrystalline sapphire caps are competitive with other sapphire tubes and can substitute ceramic tubes that are not resistant against diffusion of chemicals. Therefore, durability of thermocouples protected by polycrystalline sapphire tubes is much higher than in the case of standard ceramics tubes.

Even protective tubes of small diameters are sufficiently strong and high temperature resistant. The polycrystalline sapphire caps for thermocouples are the economical choice in many applications.

A set can consist of an outer one-side sealed protective tube and one or more inner capillaries used for electrical insulation of branches of the thermocouple.




TUBE SIZES AVAILABLE

Tube Sizing Range	OD (mm)	ID (mm)	Length (mm)
	0.72 – 18.50	0.35 - 16.78	0 - 1000

Want to know more about the new possibilities brought by polycrystalline sapphire tubes? Want to discuss in details about custom manufacturing the size you need? Welcome to contact us at email: sales@advaluetech.com or phone: 520-514-1100.

Single Crystal Sapphire Substrates



Single Crystal Sapphire Substrate (Double Sides Polished)

For custom production and volume discount, please call (520)514-1100

Catalogue Number	Length		Width		Thickness		Orientation	Sides Polished	Price
	mm	in	mm	in	mm	in			
SP-P-CD-5-5-0.5-m	5	0.2	5	0.2	0.5	0.02	C Plane	2	\$2.38
SP-P-CD-10-5-0.5-m	10	0.39	5	0.2	0.5	0.02	C Plane	2	\$3.69
SP-P-CD-10-10-0.5-m	10	0.39	10	0.39	0.5	0.02	C Plane	2	\$6.44
SP-P-CD-12.7-12.7-0.5-m	12.7	0.5	12.7	0.5	0.5	0.02	C Plane	2	\$9.18
SP-P-CD-25.4-25.4-0.5-m	25.4	1	25.4	1	0.5	0.02	C Plane	2	\$17.96

Single Crystal Sapphire Substrate (Single Side Polished)

For custom production and volume discount, please call (520)514-1100

Catalogue Number	Length		Width		Thickness		Orientation	Sides Polished	Price
	mm	in	mm	in	mm	in			
SP-P-CS-5-5-0.5-m	5	0.2	5	0.2	0.5	0.02	C Plane	1	\$1.89
SP-P-CS-10-5-0.5-m	10	0.39	5	0.2	0.5	0.02	C Plane	1	\$2.94
SP-P-CS-10-10-0.5-m	10	0.39	10	0.39	0.5	0.02	C Plane	1	\$4.43
SP-P-CS-12.7-12.7-0.5-m	12.7	0.5	12.7	0.5	0.5	0.02	C Plane	1	\$7.71
SP-P-CS-25.4-25.4-0.5-m	25.4	1	25.4	1	0.5	0.02	C Plane	1	\$15.71

Single Crystal Sapphire Wafers



Single Crystal Sapphire Wafers (Double Sides Polished)

For custom production and volume discount, please call (520)514-1100

Catalogue Number	OD		Thickness		Orientation	Sides Polished	Price
	mm	in	mm	in			
SP-D-CD-25.4-0.5-m	25.4	1	0.5	0.02	C Plane	2	\$14.67
SP-D-CD-50.8-0.5-m	50.8	2	0.5	0.02	C Plane	2	\$44.44
SP-D-CD-76.2-0.5-m	76.2	3	0.5	0.02	C Plane	2	\$102.03

Single Crystal Sapphire Wafers (Double Sides Polished)

For custom production and volume discount, please call (520)514-1100

Catalogue Number	OD		Thickness		Orientation	Sides Polished	Price
	mm	in	mm	in			
SP-D-CS-25.4-0.5-m	25.4	1	0.5	0.02	C Plane	1	\$13.39
SP-D-CS-50.8-0.5-m	50.8	2	0.5	0.02	C Plane	1	\$37.74
SP-D-CS-76.2-0.5-m	76.2	3	0.5	0.02	C Plane	1	\$88.97

Ceramic Membranes for Optimal Separation

WHAT WE OFFER

- High quality Ceramic Membranes and Carriers with extreme homogeneity and narrow pore size distribution in the range of 0.1~5.0µm
- Dense ceramic membranes for gas separation and gas lines.
- Coated ceramic ultra-/nano filtration membranes for ranges under 0.1µm
- Optimal tolerances and smooth surface finish
- Innovative sealing technology that eliminates polymeric seals.
- Translucent production possible.



APPLICATIONS

Our ceramic membranes and carriers are developed for the optimal separation of a wide range of fluids and gases. Application areas include:

- | | |
|------------------|-------------------------|
| • Chemical | • Oil and Gas |
| • Steel | • Power and Electronics |
| • Paper and Pulp | • Pharmaceutical |
| • Biotechnology | • Food and Beverages |
| • Drinking Water | o Dairy |
| • Waste Water | o Beer |
| | o Wine |
| | o Fruit Juice |

WHY CHOOSE CERAMIC MEMBRANES AND CARRIERS

Compared to polymers, ceramic membranes offer a narrow pore size distribution exactly matching the components to be separated. They also provide better resistance against aggressive chemicals, high temperatures, a high and constant flux and a long service life.

Ceramic carriers are an ideal base for membranes and micro-filtration applications in the chemical, pharmaceutical and food industry as well as in water and waste water processing.

The polymer-free all-ceramic sealing of our membrane tube assemblies leads to several clear advantages:

- Maintenance free long life seals which can resist much higher temperatures and pressures compared with polymeric seals and is fully inert;
- For sanitary membranes, the absence of polymeric seals greatly reduced the sensitivity for bacterial infection at the seals by a full fit;
- Compatible with severe back washes with aggressive chemicals in order to clean filters, leading to low maintenance costs

Ceramic Membranes for Optimal Separation

DESIGNS AVAILABLE

- Newest 4-tube System
 - o Replaces and improves the multi-channel systems available in the market.
 - o Increased flux efficiency ensuring a high flux over a wide range of pore sizes.
 - o Superior surface quality of the ceramic carrier enabling an optimization of the coating process and reducing the number of coating steps.



- A variety of coated membrane types are applied by various industries, including:
 - o Pervaporation (PV)
 - o Gas separation with ion transfer (ITM)
- The carrier can also be used without any coating such as micro-filtration(MF) application.

SIZES AVAILABLE

Tube Sizing Range	OD (mm)	ID (mm)	Length (mm)
	0.72 - 18.50	0.35 - 16.78	0 - 1200

Material: Al₂O₃ (ZrO₂ and more on request)

Base Powder: Aluminum Oxide	Pore Size* (μm)	Flux (kg/m²/bar/uur)	Surface Roughness (μm)
#1	0.1	25	0.1
#2	0.2	150	0.1
#3	0.6	850	0.2
#4	1.0	3500	1.0
#5**	5.0	15000	3.0

(Wall thickness 0.8mm/outer diameter 8.6mm/oven temperature>1000°C)

*measured with “mercury intrusion” method

**wall thickness 1.5mm

Want to know more about the ceramic membranes? Welcome to contact us at email: sales@advaluetech.com or phone: 520-514-1100 for further discussion.

Chemical Materials

Alumina (Al₂O₃) High Purity Powder

For custom production and volume discount, please call (520)514-1100

AdValue Technology offers ultra pure alumina powders with purity of 99.999% (5N) and low volatiles. It is the ideal material for growing sapphires as well as other high purity ceramics and specialty applications.

Catalogue Number	Purity	Color	Quantity (kg)	Price (/kg)
ALO-5N	99.999%	White	1~4	\$63.83
	99.999%	White	5~9	\$53.00
	99.999%	White	10	\$43.00

Chemical Materials

Silicon Dioxide (SiO₂) High Purity Powder

For custom production and volume discount, please call (520)514-1100

AdValue Technology supply high purity Silicon Dioxide (SiO₂) powders at >99.995% and 99.99% grades, which can be used for semiconductor industry and normal quartz ingots respectively. Standard package sizes are available at 250g and 500g. We also sell in kilograms and tons. Other grades of SiO₂ powders are also available upon request.



Catalogue Number	Purity	Color	Quantity (g)	Price (/package)
SD-995-1	>99.995%	white	250	\$210.00
SD-995-2	>99.995%	white	500	\$357.00
SD-990-1	99.99%	white	250	\$99.27
SD-990-2	99.99%	white	500	\$168.76

Cerium Oxide Polishing Powder

Cerium Oxide Polishing Powder

For custom production and volume discount, please call (520)514-1100



<i>Catalogue Number</i>	<i>TREO (%)</i>	<i>CeO₂/TREO (%)</i>	<i>D₅₀</i>	<i>Color</i>	<i>Package (kg)</i>	<i>Price(/pkg)</i>
Ce-A20	>94	62-75	2.0-2.5μm	white	0.5	\$29.13
					5	\$155.95
					20	\$530.63
Ce-B10	>94	62-75	1.0-1.4μm	white	0.5	\$36.04
					5	\$201.75
					20	\$677.17
Ce-C14	>99	>99	1.4-1.8μm	light yellow	0.5	\$29.93
					5	\$161.50
					20	\$549.50

Mortars and Pestles

Agate Mortars and Pestles

For custom production and volume discount, please call (520)514-1100



Catalogue Number	OD		ID		H		Depth		Price
	mm	in	mm	in	mm	in	mm	in	
M-050	50	1.97	40	1.57	20	0.79	12	0.47	\$55.00
M-070	70	2.76	60	2.36	30	1.18	18	0.71	\$70.00
M-095	95	3.74	80	3.15	35	1.38	24	0.94	\$110.00
M-115	115	4.53	100	3.94	45	1.77	30	1.18	\$175.50
M-150	150	5.91	130	5.12	55	2.17	40	1.57	\$330.00

**Pestle included in set*

Accessories

Crucible Tongs

Catalogue Number	Length		Price
	mm	in	
T-018	450	17.71	\$48.00



Made of stainless steel for durability. Serrated claw tip with precision closure.

High Temperature Gloves

Catalogue Number	Length		Size	Price
	mm	in		
G-018	380	14.96	Fit All	\$55.00



Max service temperature 1200°F/650°C (direct contact time less than 10 seconds).

For custom production & volume discount, please call (520)514-1100.

Custom Manufacturing

- Custom Dimensions
- Special tolerances and surface finishing
- OEM Parts

Custom production available to meet your special needs!

Please call (520) 514-1100 for details



3158 S. Chrysler Ave., Tucson, AZ 85713, United States of America

Tel: (520) 514-1100 • Fax: (520) 747-4024

Email: sales@advaluetech.com

